MR16 Bulb

Code:MR16

SPECIFICATIONS:

Mode: MR16

Material: Ceramic

Beam Spread: 24° 36°

• Color Temp.: 2700K/3000K

Type: CREE COB

Operating Voltage: 9V - 15V

Color: White, Black

Wattage: 3W, 5W, 7W

Lumen Output: 240LM, 400LM,560LM





INSTALLATION INSTRUCTIONS

Safety Instructions:

- Turn power OFF or unplug fixture and allow it to cool before replacing lamp.
- Lamp gets HOT quickly. Contact only switch/plug when turning on.
- Do not touch hot lens, guard, or fixture housing until it has cooled.
- Keep lamp away from combustibles.
- The inner module is very hot, do not touch it until it cools down
- Do not operate the fixture fitting with a missing or damaged shield.
- For outdoor use only.
- Make sure the power is turned OFF before installing or servicing this fixture.

Installation Instruction:

- Disconnect the transformer from the main supply
- Remove the shield from the retaining housing
- Assemble the internal mold into the lamp and connect it with a connector (if required)
- Install the cover and rotate the cover on the housing to fix it on the fixture housing to make sure the leak hole is in the middle and down
- Connect the cable to the main line through the ground plug



PHOTOS











APPLICATION

